



This safety data sheet complies with the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Date 13-Oct-2020

Version 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Name PC 11
Safety data sheet number OCPC00011
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use • Adhesives
• For professional use
Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Supplier

Pittsburgh Corning Europe
Albertkade 1
3980 - Tessenderlo, Belgium

E-mail address SDS.compliance@owenscorning.com
Company Website www.foamglas.com

Telephone number T +32 (0)13 661 721, F +32 (0)13 667 854

1.4. Emergency telephone number

Emergency Telephone - Chemtrec 1-800-424-9300 or 1-703-741-5970 CCN17393 - §45 - (EC)1272/2008	
Europe	112
Austria	+ (43)-13649237 Vergiftungsinformationszentrale (Poisons Information Centre) +43 1 406 43 43
Belgium	+(32)-28083237 Centre Anti-Poisons/Antigifcentrum/Giftnotrufzentralec/o Hôpital Central de la Base - Reine Astrid +32 70 245 245
Bulgaria	+(359)-32570104 Национален токсикологичен информационен център (National Toxicological Information Centre) National Clinical Toxicology Centre, Emergency Medical Institute "Pirogov" +359 2 9154 409
Croatia	+(385)-17776920 Centar za kontrolu otrovanja/Institut za medicinska istraživanja i medicinu rada +385 1 234 8342
Czech Republic	+(420)-228880039 Toxikologické informační středisko +420 2 2491 9293/5402 +42 2 2491 5402
Denmark	+(45)-69918573 GiftlinjenBispebjerg Hospital +45 82 12 12 12 +45 35 31 55 55
Finland	+(358)-942419014 Myrkytystietokeskus +358 9 471 977
France	+(33)-975181407 ORFILA Hôpital Fernand Widal +33 1 45 42 59 59
Germany	0800-181-7059 or +(49)-69643508409 Giftnotruf der CharitéCharité-Universitätsmedizin - Campus Benjamin Franklin, Berlin +49 30 19240
Hungary	+(36)-18088425 Országos Kémiai Biztonsági Intézet (National Institute of Chemical Safety)Egészségügyi Toxikológiai Tájékoztató Szolgálat (Health Toxicological Information Service) +36 80 20 11 99
Ireland	+(353)-19014670 National Poisons Information CentreBeaumont Hospital +353 1 809 21

	66 (public, 8am - 10pm, 7/7)+353 01 809 2566 (Professionals, 24/7)
Italy	800-789-767 or +(39)-024557031 Centro Antiveleni (Poisons Centre)Dipartimento di Tossicologia Clinica, Universita Cattolica del Sacro Cuore +39 06 305 4343
Latvia	Valsts Toksikoloģijas centra Saindēšanās un zāļu informācijas centrs. +371 67042473
Lithuania	+(370)-52140238 Apsinuodijimų kontrolės ir informacijos biuras +370 5 236 20 52/ +370 687 53378 +370 687 53378
Netherlands	+(31)-858880596 Nationaal Vergiftigingen Informatie Centrum (NVIC)NB Uitsluitend bestemd om professionele hulpverleners te informeren bij acute vergiftigingen +31 30 274 88 88
Norway	+(47)-21930678 GiftinformasjonenGiftinformasjonssentralen (Helsedirektoratet) +47 22 591300
Poland	+(48)-223988029 Informacji toksykologicznej (National Poisons Information Centre)The Nofer Institute of Occupational Medicine (Łódź) +48 42 63 14 724
Portugal	+(351)-308801773 Centro de Informação AntivenenosInstituto Nacional de Emergência Médica (INEM) 808 250 143 (Para uso apenas em Portugal),+351 21 330 3284
Romania	Biroul RSI si Informare ToxicologicaApelabil intre orele 8:00 – 15:00 +40 21 318 36 06 (Apelabil intre orele 8:00-15:00)
Russia	8-800-100-6346 Информационно-консультативный токсикологический центр Министерства здравоохранения Российской Федерации (RTIAC)Министерство здравоохранения Российской Федерации (Ministry of Health of the Russian Federation) +74 959 28 16 87 (русский)
Saudi Arabia	The Regional Poison Control Center, Dammam (DPCC) +966 55 388 0087
Slovakia	Národné toxikologické informačné centrum (National Toxicological Information Centre) (NTIC)University Hospital Bratislava +421 254 77 41 66
Slovenia	Poison CentreDivision of Internal Medicine + 386 41 650 500
Spain	900-868538 or +(34)-931768545 Servicio de Información ToxicológicaInstituto Nacional de Toxicología y Ciencias Forenses +34 91 562 04 20
Sweden	+(46)-852503403 Giftinformationscentralen Swedish Poisons Information Centre, Karolinska Hospital +46 833 12 31 (International) 112 - begär Giftinformation (National)
Switzerland	+(41)-435082011 Centre Suisse d'Information ToxicologiqueSwiss Toxicological Information Centre 145 / +41 442 51 51 51
Turkey	Toxicology Department and Poisons Centre Refik Saydam Central Institute of Hygiene 0 800 314 7900 (Turkey) only+90 0312 433 70 01
United Kingdom	+(44)-870-8200418 National Poisons Information Service (Newcastle Centre)Regional Drugs and Therapeutics Centre, Wolfson Unit 0844 892 0111 (UK only, 24/7, healthcare professionals only)

Section 2: HAZARDS IDENTIFICATION

2.1 Classification according to Regulation (EC) No. 1272/2008 (CLP)

Acute toxicity - Inhalation (Dusts/Mists)	Category 2 - (H330)
Flammable liquids	Category 3 - (H226)

2.2. Label elements



Signal word

Warning

H226 - Flammable liquid and vapor

Precautionary Statements

P102 - Keep out of reach of children
 P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking
 P233 - Keep container tightly closed
 P240 - Ground/bond container and receiving equipment

P280 - Wear protective gloves
 P370 + P378 - In case of fire: Use CO2, dry chemical, or foam to extinguish
 P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Chemical name	EC No.	CAS No.	Weight-%	2.1 Classification according to Regulation (EC) No. 1272/2008 (CLP)	REACH Registration Number
n-Butyl acetate	204-658-1	123-86-4	<14	(EUH066) STOT SE 3 (H336) Flam. Liq. 3 (H226)	01-211948493-29

Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General advice	In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).
Inhalation	<ul style="list-style-type: none"> • Remove to fresh air • If symptoms persist, call a physician
Skin contact	<ul style="list-style-type: none"> • Remove contaminated clothing and shoes • Wash skin thoroughly with soap and water • If skin irritation persists, call a physician
Eye contact	<ul style="list-style-type: none"> • Rinse thoroughly with plenty of water, also under the eyelids • Remove contact lenses, if present and easy to do. Continue rinsing • If eye irritation persists: Get medical advice/attention
Ingestion	<ul style="list-style-type: none"> • DO NOT induce vomiting • Get medical attention • ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	<ul style="list-style-type: none"> • Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting • Skin contact may be irritating, causing erythema (redness) or dermatitis. • May cause eye irritation • CAN ENTER LUNGS AND CAUSE DAMAGE
-----------------	---

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians	Treat symptomatically.
---------------------------	------------------------

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media	<ul style="list-style-type: none"> • Water spray (fog) • Alcohol resistant foam
-------------------------------------	---

- Carbon dioxide (CO₂)
- Dry extinguishing powder

Unsuitable extinguishing media Do not use straight streams

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical Flammable. Vapours can form explosive mixtures with air. Heating will cause a rise in pressure with a risk of bursting.

Hazardous combustion products Carbon oxides.

5.3. Advice for firefighters

Special protective equipment for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Keep away from sources of ignition. Prevent fire fighting water from entering surface water or groundwater. Cool containers with spray water from a safe distance. Never use welding or cutting torch on or near container (even empty) because product may ignite explosively.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions

- Avoid contact with skin, eyes or clothing
- Do not breathe vapor or mist
- Evacuate personnel to safe areas
- Remove all sources of ignition
- Ensure adequate ventilation, especially in confined areas
- Take precautionary measures against static discharges
- All equipment used when handling the product must be grounded

For emergency responders

- Use personal protective equipment as required
- Remove all sources of ignition
- Take measures against static discharge
- Ensure equipment is grounded
- Have procedures in place for emergency decontamination

6.2. Environmental precautions

Environmental precautions

- Prevent further leakage or spillage if safe to do so
- Prevent entry into waterways, sewers, basements or confined areas
- See Section 12 for ecotoxicology additional information

6.3. Methods and material for containment and cleaning up

Methods for containment

- Stop leak if you can do it without risk
- Dike to collect large liquid spills
- Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13)

Methods for cleaning up

- Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust)
- Pick up and transfer to properly labeled containers

6.4. Reference to other sections

Reference to other sections

- See section 8 for more information
- See section 13 for more information

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling

- P271 - Use only outdoors or in a well-ventilated area
- Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity)
- Take precautionary measures against static discharges
- Use spark-proof tools and explosion-proof equipment
- All equipment used when handling the product must be grounded
- Do not puncture or incinerate cans
- Avoid contact with skin, eyes or clothing
- Remove all sources of ignition
- Do not breathe dust/fume/gas/mist/vapors/spray

General Hygiene Considerations

- When using do not eat, drink or smoke
- Regular cleaning of equipment, work area and clothing is recommended
- Wash hands before breaks and immediately after handling products
- Handle in accordance with good industrial hygiene and safety practice

7.2. Conditions for safe storage, including any incompatibilities**Storage Conditions**

- Keep in a dry, cool and well-ventilated place
- Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity)
- Keep in properly labeled containers
- Combustible if there is an open flame.
- Protect from direct sunlight

Packaging materials

- Keep in properly labeled container

Incompatible materials

- Oxidizers
- Acids
- Bases

7.3. Specific end use(s)**Specific use(s)**

No data available.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1. Control parameters**

Component	ACGIH	Australia	Austria	Belgium	Bulgaria
n-Butyl acetate 123-86-4 (<14)	TWA 150ppm STEL 200ppm	150 ppm 713 mg/m ³ 200 ppm STEL 950 mg/m ³ STEL	TWA: 100 ppm TWA: 480 mg/m ³ STEL 100 ppm STEL 480 mg/m ³ Ceiling 100 ppm Ceiling 480 mg/m ³	50 ppm TWA; 238 mg/m ³ TWA STEL 150 ppm STEL 712 mg/m ³	STEL: 950 mg/m ³ TWA: 710 mg/m ³
Component	Croatia	Czech Republic	Denmark	Finland	France
n-Butyl acetate 123-86-4 (<14)	TWA: 150 ppm TWA: 724 mg/m ³ STEL: 200 ppm STEL: 966 mg/m ³	TWA: 950 mg/m ³ Ceiling: 1200 mg/m ³	TWA: 150 ppm TWA: 710 mg/m ³	TWA: 50 ppm TWA: 240 mg/m ³ STEL: 150 ppm STEL: 725 mg/m ³	TWA: 150 ppm TWA: 710 mg/m ³ STEL: 200 ppm STEL: 940 mg/m ³
Component	Germany	Greece	Hungary	Ireland	Italy
n-Butyl acetate 123-86-4 (<14)	TWA: 62 ppm TWA: 300 mg/m ³	TWA 150 ppm TWA 710 mg/m ³ STEL 200 ppm STEL 950 mg/m ³	TWA: 241 mg/m ³ STEL: 723 mg/m ³	TWA: 150 ppm TWA: 710 mg/m ³ STEL: 200 ppm STEL: 950 mg/m ³	
Component	Latvia	Lithuania	Netherlands	Norway	Poland
n-Butyl acetate 123-86-4 (<14)	TWA: 200 mg/m ³				STEL: 720 mg/m ³ TWA: 240 mg/m ³
Component	Portugal	Romania	Russia	Slovakia	Slovenia
n-Butyl acetate 123-86-4 (<14)	TWA: 150 ppm STEL: 200 ppm	TWA: 150 ppm TWA: 715 mg/m ³ STEL: 200 ppm STEL: 950 mg/m ³	TWA: 50 mg/m ³ STEL: 200 mg/m ³	TWA: 100 ppm TWA: 500 mg/m ³	TWA: 300 mg/m ³ TWA: 62 ppm STEL: STEL ppm STEL: STEL mg/m ³
Component	Spain	Sweden	Switzerland	United Kingdom	
n-Butyl acetate 123-86-4 (<14)	TWA: 150 ppm TWA: 724 mg/m ³ STEL: 200 ppm	TLV: 100 ppm TLV: 500 mg/m ³ Indicative STEL: 150	TWA: 100 ppm TWA: 480 mg/m ³ STEL: 200 ppm	TWA: 150 ppm TWA: 724 mg/m ³ STEL: 200 ppm	

	STEL: 965 mg/m ³	ppm Indicative STEL: 700 mg/m ³	STEL: 960 mg/m ³	STEL: 966 mg/m ³	
--	-----------------------------	--	-----------------------------	-----------------------------	--

Derived No Effect Level (DNEL) No information available.

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Engineering Controls

- Ensure adequate ventilation, especially in confined areas
- Eyewash stations
- Showers
- Prevent and/or minimize dust formation
- Handle product only in closed system or provide appropriate exhaust ventilation
- Use only outdoors or in a well-ventilated area.

Personal protective equipment

Eye/face protection

- Wear safety glasses with side shields (or goggles) (EN166)
- Face protection shield

Hand Protection

- Chemically resistant gloves (tested to EN374)
- Wear protective nitrile rubber gloves

Skin and body protection

- Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact

Respiratory protection

- In case of insufficient ventilation, wear suitable respiratory equipment
- Full face mask (EN 136), Half-face mask (DIN EN 140), Filter type A (EN 141)

Environmental exposure controls • Do not allow into any sewer, on the ground or into any body of water

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Paste
Color	Black
Odor	No data available.
Odor threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No data available	
Melting point / freezing point	No data available	
Boiling point / boiling range	No data available	
Flash point	> 37 °C	
Evaporation rate	Not applicable	
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability limit:	No data available	
Lower flammability limit:	No data available	
Vapor pressure	No data available	None known
Density VALUE	1.22 kg/l	
Relative density	No data available	
Water solubility	No data available	
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	Not applicable	None known
Decomposition temperature	No data available	None known
Viscosity	No data available	
Dynamic viscosity	No data available	
Explosive properties	No information available	
Oxidizing properties	No information available	

9.2. Other information

Softening point	No information available
Molecular weight	No information available

VOC	<170 g/L
Liquid Density	No information available
Bulk density	No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity Flammable liquid and vapour Heating may cause a fire or explosion

10.2. Chemical stability

Stability flammable liquid.

Explosion data

Sensitivity to Mechanical Impact Self-decomposition or self-ignition may be triggered by heat, chemical reaction, friction or impact.

Sensitivity to Static Discharge May be ignited by friction, heat, sparks or flames.

10.3. Possibility of hazardous reactions

Hazardous polymerization None under normal processing conditions.

Possibility of Hazardous Reactions

- No hazardous decomposition under normal conditions of storage and use
- Avoid excessive heat and sources of ignition
- Reacts with strong oxidizing agents

10.4. Conditions to avoid

Conditions to avoid Heat, flames and sparks. Do not subject to grinding/shock/friction.

10.5. Incompatible materials

Incompatible materials

- Oxidizers
- Acids
- Bases

10.6. Hazardous decomposition products

Hazardous Decomposition Products Reference to other sections 5.2

Section 11: TOXICOLOGICAL INFORMATION

<u>Product Information</u>	Product does not present an acute toxicity hazard based on known or supplied information
Ingestion	No data available.
Skin corrosion/irritation	No information available
Serious eye damage/eye irritation	No information available.
Sensitization	No information available
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

Product toxicological information based on components data

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	5,750.80 mg/kg
ATEmix (dermal)	2,457.20 mg/kg
ATEmix (inhalation-dust/mist)	0.09 mg/l
ATEmix (inhalation-vapor)	375.00 mg/l

Chemical name	Oral LD50	LD50/dermal/rat - NO UNITS (Wizards mg/kg)	Inhalation LC50
n-Butyl acetate	= 10768 mg/kg (Rat)	> 17600 mg/kg (Rabbit)	= 0.74 mg/L (Rat) 4 h

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Chemical name	Algae/aquatic plants	Fish	Crustacea
n-Butyl acetate	674.7: 72 h <i>Desmodesmus subspicatus</i> mg/L EC50	100: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 17 - 19: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through	-

12.2. Persistence and degradability

Chemical name	Biodegradation
n-Butyl acetate	83% (28 days)

12.3. Bioaccumulative potential

No information available.

Chemical name	Partition coefficient
n-Butyl acetate	1.81

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

12.6. Other adverse effects

Other adverse effects Avoid release to the environment

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues/unused products • Disposal should be in accordance with applicable regional, national and local laws and regulations

Contaminated packaging • Do not reuse container
• Do not burn or use a cutting torch on the empty drum

Waste codes / waste designations according to EWC / AVV

- Waste codes should be assigned by the user based on the application for which the product was used
- The following Waste Codes are only a suggestion:
- 08 04 09 - waste adhesives and sealants containing organic solvents or other dangerous substances

Other Information Waste codes should be assigned by the user based on the application for which the product was used.

Section 14: TRANSPORT INFORMATION

Note: These products are not classified as dangerous goods according to international transport regulations

IMDG

14.1 UN number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Marine pollutant	Not applicable
14.6 Special Provisions	No
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	No information available

RID

14.1 UN number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special Provisions	No

ADR

14.1 UN number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special Provisions	No

IATA

14.1 UN number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special Provisions	No

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemical name	French RG number	Title
n-Butyl acetate 123-86-4	RG 84	-

Germany

Water hazard class (WGK) slightly hazardous to water (WGK 1)

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Authorizations and/or restrictions on use:

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorization per REACH Annex XIV
n-Butyl acetate - 123-86-4	<p>3. Liquid substances or mixtures which are regulated as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex 1 to Regulation (EC) No 1272/2008</p> <p>3.a. Substances or mixtures fulfilling criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A-F</p> <p>40. Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3 pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.</p>	

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

15.2. Chemical safety assessment**Chemical Safety Report**

A Chemical Safety Assessment has not been carried out

Section 16: OTHER INFORMATION**Key or legend to abbreviations and acronyms used in the safety data sheet**

Full text of H-Statements referred to under section 3 EUH066 - Repeated exposure may cause skin dryness or cracking
H226 - Flammable liquid and vapor
H336 - May cause drowsiness or dizziness

Legend

*	Skin designation	ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
Ceiling	Maximum limit value	IATA	International Air Transport Association codes
IMDG	International Maritime Dangerous Goods code	LC50	Median lethal concentration
LD50	Median lethal dose	STEL	STEL (Short Term Exposure Limit)
STOT	Specific target organ toxicity	SVHC	Substances of very high concern
TWA	TWA (time-weighted average)	VOC	Volatile organic compounds

Revision Date 13-Oct-2020

Revision Note Not applicable

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

End of Safety Data Sheet