

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.08.2026

Version number 7

Revision: 07.08.2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** **PC 62 Adhesive Comp. B**
- **Article number:** 1235804; 1235809
- **UFI:** Q800-N0M4-S00Q-T1CY
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture**
Polyurethane lacquer
Adhesives
- **Uses advised against** Restriction under Regulation 1907/2006 (REACH), Annex XVII
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Pittsburgh Corning Europe
Albertkade 1
3980 Tessenderlo
Belgium
- **Informing department:**
Product Compliance
SDS.compliance@owenscorning.com
- **1.4 Emergency telephone number:** Emergency Phone number: +32 (0)13 661 721

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**

Acute Tox. 4	H332 Harmful if inhaled.
Skin Irrit. 2	H315 Causes skin irritation.
Eye Irrit. 2	H319 Causes serious eye irritation.
Resp. Sens. 1	H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin Sens. 1	H317 May cause an allergic skin reaction.
Carc. 2	H351 Suspected of causing cancer. Route of exposure: Inhalation.
STOT SE 3	H335 May cause respiratory irritation.
STOT RE 2	H373 May cause damage to the respiratory system and the respiratory tract through prolonged or repeated exposure. Route of exposure: Inhalation.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS07 GHS08

- **Signal word** Danger
- **Hazard-determining components of labelling:**
4,4'-diphenylmethanediisocyanate, isomere, homologue and mixtures
diphenylmethane-4,4'-diisocyanate
diphenylmethane-2,4'-diisocyanate

(Contd. on page 2)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.08.2026

Version number 63 (replaces version 7)

Revision: 07.08.2026

Trade name: PC 62 Adhesive Comp. B

(Contd. of page 1)

diphenylmethane-2,2'-diisocyanate

Hazard statements

H332 Harmful if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer. Route of exposure: Inhalation.

H335 May cause respiratory irritation.

H373 May cause damage to the respiratory system and the respiratory tract through prolonged or repeated exposure. Route of exposure: Inhalation.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P271 Use only outdoors or in a well-ventilated area.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

From 24 August 2023, appropriate training must be provided before industrial or commercial use.

EUH204 Contains isocyanates. May produce an allergic reaction.

2.3 Other hazards
Results of PBT and vPvB assessment
PBT: Not applicable

vPvB: Not applicable

Determination of endocrine-disrupting properties No further relevant information available.

* SECTION 3: Composition/information on ingredients

Two component coating: isocyanate component

3.2 Mixtures
Description: Mixture of the substances listed below and harmless substances.

Dangerous components:

CAS: 9016-87-9 Index number: 615-005-00-9	4,4'-diphenylmethanediisocyanate, isomere, homologue and mixtures ⚠ Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; ⚠ Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Eye Irrit. 2; H319: C ≥ 5 % STOT SE 3; C ≥ 5 % Skin Irrit. 2; H315: C ≥ 5 % Resp. Sens. 1; H334: C ≥ 0.1 %	75-100%
CAS: 101-68-8 EINECS: 202-966-0 Index number: 615-005-00-9	diphenylmethane-4,4'-di-isocyanate ⚠ Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; ⚠ Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Eye Irrit. 2; H319: C ≥ 5 % Skin Irrit. 2; H315: C ≥ 5 % Resp. Sens. 1; H334: C ≥ 0.1 % STOT SE 3; C ≥ 5 %	10-15%

(Contd. on page 3)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.08.2026

Version number 63 (replaces version 7)

Revision: 07.08.2026

Trade name: PC 62 Adhesive Comp. B

(Contd. of page 2)		
CAS: 5873-54-1 EINECS: 227-534-9 Index number: 615-005-00-9	diphenylmethane-2,4'-diisocyanate ⚠ Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; ⚠ Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Eye Irrit. 2; H319: C ≥ 5 % Skin Irrit. 2; H315: C ≥ 5 % Resp. Sens. 1; H334: C ≥ 0.1 % STOT SE 3; C ≥ 5 %	5-10%
CAS: 2536-05-2 EINECS: 219-799-4 Index number: 615-005-00-9	diphenylmethane-2,2'-diisocyanate ⚠ Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; ⚠ Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Eye Irrit. 2; H319: C ≥ 5 % Skin Irrit. 2; H315: C ≥ 5 % Resp. Sens. 1; H334: C ≥ 0.1 % STOT SE 3; C ≥ 5 %	<1%

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation

In case of unconsciousness bring patient into stable side position for transport.
Supply fresh air and call for doctor for safety reasons.

· After skin contact

Immediately wash with water and soap and rinse thoroughly.
Immediately rinse with water.
If skin irritation continues, consult a doctor.

· After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

· After swallowing

Rinse out mouth and then drink plenty of water.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

Medical supervision for at least 48 hours

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Foam
Use fire fighting measures that suit the environment.

· 5.2 Special hazards arising from the substance or mixture

Can be released in case of fire :

- carbon dioxide, carbon monoxide
- Nitrogen oxides (NO_x)
- Isocyanate gas
- Traces of hydrogen cyanide

(Contd. on page 4)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.08.2026

Version number 63 (replaces version 7)

Revision: 07.08.2026

Trade name: PC 62 Adhesive Comp. B

(Contd. of page 3)

- **5.3 Advice for firefighters**
- **Protective equipment:**
Wear full protective suit.
Put on breathing apparatus.
- **Additional information** Cool endangered containers with water spray jet.

* SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Wear protective clothing.
- **6.2 Environmental precautions:** Do not allow to enter the ground/soil.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose of contaminated material as waste according to item 13.
Ensure adequate ventilation.
Absorb with liquid-binding material. After a waiting period of approx. 1 hour put it in an open container. Do not close the container, because the formation of carbon dioxide - building up pressure - risk of bursting!
Disposal according item 13 after a storage time of a few days.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

* SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Store in cool, dry place in tightly closed containers.
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** Store only in the original container.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:**
Store container in a well ventilated position.
Keep container tightly sealed.
- **Storage class** 10
- **7.3 Specific end use(s)** No further relevant information available.

* SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**

- **Components with limit values that require monitoring at the workplace:**

9016-87-9 4,4'-diphenylmethanediisocyanate, isomere, homologue and mixtures

BOELV	Short-term value: 0.012 (0.020)* mg/m ³ Long-term value: 0.006 (0.010)* mg/m ³ as -NCO *until 31.12.2028
-------	--

101-68-8 diphenylmethane-4,4'-di-isocyanate

BOELV	Short-term value: 0.012 (0.020)* mg/m ³ Long-term value: 0.006 (0.010)* mg/m ³ as -NCO *until 31.12.2028
-------	--

(Contd. on page 5)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.08.2026

Version number 63 (replaces version 7)

Revision: 07.08.2026

Trade name: PC 62 Adhesive Comp. B

(Contd. of page 4)

5873-54-1 diphenylmethane-2,4'-diisocyanate	
BOELV	Short-term value: 0.012 (0.020)* mg/m ³ Long-term value: 0.006 (0.010)* mg/m ³ as -NCO *until 31.12.2028
2536-05-2 diphenylmethane-2,2'-diisocyanate	
BOELV	Short-term value: 0.012 (0.020)* mg/m ³ Long-term value: 0.006 (0.010)* mg/m ³ as -NCO *until 31.12.2028

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **8.2 Exposure controls**

· **Appropriate engineering controls** No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures**

Keep away from foodstuffs, beverages and food.

Take off immediately all contaminated clothing

Wash hands during breaks and at the end of the work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· **Breathing equipment:**

Breathing protection recommended.

Use breathing protection when aerosol or mist is formed.

If vapours/aerosols develop:

Self-contained breathing apparatus.

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

· **Hand protection**

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection** Tightly sealed safety glasses.

· **Body protection:** Protective work clothing.

* SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Physical state**

Liquid

· **Colour:**

Brown

· **Odour:**

earthy, musty

· **Odour threshold:**

Not determined

· **Melting point/freezing point:**

Not determined

(Contd. on page 6)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.08.2026

Version number 63 (replaces version 7)

Revision: 07.08.2026

Trade name: **PC 62 Adhesive Comp. B**

(Contd. of page 5)

· Boiling point or initial boiling point and boiling range	>300 °C
· Flammability	Not applicable
· Lower and upper explosion limit	
· Lower:	Not determined
· Upper:	Not determined
· Flash point:	220 °C
· Auto-ignition temperature:	>500 °C
· Decomposition temperature:	>500 °C
· pH	Not determined
· Viscosity:	Mixture is non-polar/aprotic.
· Kinematic viscosity	Not determined
· dynamisch [25°C]	
· dynamic at 20 °C:	115 mPas
· dynamisch [23°C]	Not determined
· dynamisch [20°C]:	
· Solubility	
· Water:	Not miscible or difficult to mix
· Partition coefficient n-octanol/water (log value)	Not determined
· Vapour pressure at 20 °C:	11 hPa
· Vapour pressure at 50 °C:	11 hPa
· Density and/or relative density	20 hPa
· Density at 20 °C:	1.23 g/cm ³
· Density [23°C]:	Not determined
· Relative density	Not determined
· Vapour density	Not determined

· 9.2 Other information	
· Appearance:	
· Form:	Fluid
· Important information on protection of health and environment, and on safety.	
· Self-inflammability:	Product is not selfigniting.
· Explosive properties:	Product is not explosive.
· solids content:	
· Solids content:	3.0 %
· Change in condition	
· Evaporation rate	Not determined

· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void

(Contd. on page 7)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.08.2026

Version number 63 (replaces version 7)

Revision: 07.08.2026

Trade name: PC 62 Adhesive Comp. B

(Contd. of page 6)

· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

* SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions**
Reacts with alcohols
Reacts with water and acids
May produce violent reactions with bases and numerous organic substances including alcohols and amines
Exothermic reaction
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** acids
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

* SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity**
Harmful if inhaled.

· **LD/LC50 values that are relevant for classification:**

Oral	LD50	>15,000 mg/kg (rat)
Inhalative	LC50/4 h	390 mg/l (rat)

9016-87-9 4,4'-diphenylmethanediisocyanate, isomere, homologue and mixtures

Oral	LD50	>15,000 mg/kg (rat)
Dermal	LD50	>9,400 mg/kg (rabbit) (Acute Dermal Toxicity)
Inhalative	LC50/4 h	0.31 mg/l (rat) (Acute Inhalation Toxicity)

101-68-8 diphenylmethane-4,4'-di-isocyanate

Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rabbit)
Inhalative	LC50/4 h	0.49 mg/l (rat)

5873-54-1 diphenylmethane-2,4'-diisocyanate

Oral	LD50	>2,000 mg/kg (rat)
Dermal	LD50	>9,400 mg/kg (rabbit)
Inhalative	LC50/4 h	0.387 mg/l (rat)

(Contd. on page 8)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.08.2026

Version number 63 (replaces version 7)

Revision: 07.08.2026

Trade name: PC 62 Adhesive Comp. B

(Contd. of page 7)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation**
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause an allergic skin reaction.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Suspected of causing cancer. Route of exposure: Inhalation.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** May cause respiratory irritation.
- **STOT-repeated exposure**
May cause damage to the respiratory system and the respiratory tract through prolonged or repeated exposure. Route of exposure: Inhalation.
- **11.2 Information on other hazards**

· Endocrine disrupting properties
--

None of the ingredients is listed.

* SECTION 12: Ecological information

· 12.1 Toxicity

· **Aquatic toxicity:**

9016-87-9 4,4'-diphenylmethanediisocyanate, isomere, homologue and mixtures

EC50/24 h	>1,000 mg/l (Daphnia magna (water flea)) (Daphnia sp. Acute Immobilisation Test)
LC50/96 h	>1,000 mg/l (Danio rerio (zebrafish)) (Fish, Acute Toxicity Test)
EC50/3 h	>100 mg/l (activated sludge) (Activated Sludge, Respiration Inhibition Test)

101-68-8 diphenylmethane-4,4'-di-isocyanate

EC50/48 h	>1,000 mg/l (Daphnia magna (water flea))
LC50/96 h	>1,000 mg/l (Brachydanio rerio (zebrafish))

5873-54-1 diphenylmethane-2,4'-diisocyanate

NOEC/21d	>10 mg/l (Daphnia magna (water flea)) (Daphnia sp. Acute Immobilisation Test)
EC50/24 h	>1,000 mg/l (Daphnia magna (water flea)) (Daphnia sp. Acute Immobilisation Test)
LC50/96 h	>1,000 mg/l (Danio rerio (zebrafish)) (Fish, Acute Toxicity Test)
EC50/3 h	>100 mg/l (activated sludge) (Activated Sludge, Respiration Inhibition Test)

· **Terrestrial toxicity:**

5873-54-1 diphenylmethane-2,4'-diisocyanate

NOEC	>1,000 mg/kg soil dw (Avena sativa (Hafer)) (Terrestrial Plant Test: Seedling Emergence) Time of exposure 14 days
	>1,000 mg/kg soil dw (Eisenia fetida (Regenwürmer)) (OECD 207) Time of exposure 14 days
	>1,000 mg/kg soil dw (Lactuca sativa (Kopfsalat)) (Terrestrial Plant Test: Seedling Emergence) Time of exposure 14 days

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable
- **vPvB:** Not applicable

(Contd. on page 9)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.08.2026

Version number 63 (replaces version 7)

Revision: 07.08.2026

Trade name: **PC 62 Adhesive Comp. B**

(Contd. of page 8)

· **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

· **12.7 Other adverse effects**

· **Additional ecological information:**

· **General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

* SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation** Must be specially treated under adherence to official regulations.

· **European waste catalogue**

08 01 12	waste paint and varnish other than those mentioned in 08 01 11
----------	--

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

* SECTION 14: Transport information

· **14.1 UN number or ID number**

· **DOT, ADR, ADN, IMDG, IATA** Void

· **14.2 UN proper shipping name**

· **DOT, ADR, ADN, IMDG, IATA** Void

· **14.3 Transport hazard class(es)**

· **ADR, ADN, IMDG, IATA**

· **Class** Void

· **14.4 Packing group**

· **DOT, ADR, IMDG, IATA** Void

· **14.5 Environmental hazards:**

· **Marine pollutant:** No

· **14.6 Special precautions for user**

Not applicable

· **14.7 Maritime transport in bulk according to IMO instruments**

Not applicable

· **Transport/Additional information:**

Not dangerous according to the above specifications.

· **UN "Model Regulation":**

Void

* SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Regulatory particularities**

· **TLV (Threshold Limit Value) ACGIH®**

None of the ingredients is listed.

(Contd. on page 10)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.08.2026

Version number 63 (replaces version 7)

Revision: 07.08.2026

Trade name: PC 62 Adhesive Comp. B

(Contd. of page 9)

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3, 56a, 56b, 56c, 74

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

- **REGULATION (EU) 2019/1148**

· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

- **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

- **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

- **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

- **REGULATION (EU) 2024/590 on substances that deplete the ozone layer**

- **Decree to be applied in case of technical fault:**

Class	Share in %
I	100.0

- **Water hazard class:**

Water hazard class 1 (German Regulation) (Self-classification) : slightly hazardous for water

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

* SECTION 16: Other information

The information contained herein is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This safety data sheet complies with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

- **Date of previous version:** 05.08.2026

- **Version number of previous version:** 7

- **Abbreviations and acronyms:**

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail
 ICAO: International Civil Aviation Organisation
 ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 Acute Tox. 4: Acute toxicity – Category 4
 Skin Irrit. 2: Skin corrosion/irritation – Category 2
 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
 Resp. Sens. 1: Respiratory sensitisation – Category 1

(Contd. on page 11)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.08.2026

Version number 63 (replaces version 7)

Revision: 07.08.2026

Trade name: PC 62 Adhesive Comp. B

(Contd. of page 10)

Skin Sens. 1: Skin sensitisation – Category 1

Carc. 2: Carcinogenicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

· *** Data compared to the previous version altered.**

EU
