

This safety data sheet complies with the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Date 29-Oct-2020

Version 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Name PITTSEAL® 444N Sealant
Safety data sheet number OCPC00051

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use

- Sealant
- For professional use

1.3. Details of the supplier of the safety data sheet

Supplier

Pittsburgh Corning Europe
Albertkade 1
3980 - Tessenderlo, Belgium

E-mail address SDS.compliance@owenscorning.com
Company Website www.foamglas.com

Telephone number T +32 (0)13 661 721, F +32 (0)13 667 854

1.4. Emergency telephone number

Emergency Telephone +32 (0)13 661 721 (only during business hours)

Emergency Telephone - §45 - (EC)1272/2008	
Europe	112
Austria	Vergiftungsinformationszentrale (Poisons Information Centre) +43 1 406 43 43
Belgium	Centre Anti-Poisons/Antigifocentrum/Gifnotrufzentrale/c/o Hôpital Central de la Base - Reine Astrid +32 70 245 245
Bulgaria	Национален токсикологичен информационен център (National Toxicological Information Centre) National Clinical Toxicology Centre, Emergency Medical Institute "Pirogov" +359 2 9154 409
Croatia	Centar za kontrolu otrovanja/Institut za medicinska istraživanja i medicinu rada +385 1 234 8342
Czech Republic	Toxikologické informační středisko +420 2 2491 9293/5402 +42 2 2491 5402
Denmark	Gifflinjen/Bispebjerg Hospital +45 82 12 12 12 +45 35 31 55 55
Finland	Myrkytystietokeskus +358 9 471 977
France	ORFILA Hôpital Fernand Widal +33 1 45 42 59 59
Germany	Giftnotruf der Charité/Charité-Universitätsmedizin - Campus Benjamin Franklin, Berlin +49 30 19240
Hungary	Országos Kémiai Biztonsági Intézet (National Institute of Chemical Safety) Egészségügyi Toxikológiai Tájékoztató Szolgálat (Health Toxicological Information Service) +36 80 20 11 99
Ireland	National Poisons Information Centre/Beaumont Hospital +353 1 809 21 66 (public, 8am - 10pm, 7/7)+353 01 809 2566 (Professionals, 24/7)
Italy	Centro Antiveneni (Poisons Centre) Dipartimento di Tossicologia Clinica, Università Cattolica del Sacro Cuore +39 06 305 4343
Latvia	Valsts Toksikoloģijas centra Saindēšanās un zāļu informācijas centrs. +371 67042473
Lithuania	Apsinuodijimų kontrolės ir informacijos biuras +370 5 236 20 52/ +370 687 53378 +370

	687 53378
Netherlands	Nationaal Vergiftigingen Informatie Centrum (NVIC)NB Uitsluitend bestemd om professionele hulpverleners te informeren bij acute vergiftigingen +31 30 274 88 88
Norway	GiftinformasjonenGiftinformasjonssentralen (Helsedirektoratet) +47 22 591300
Poland	Informacji toksykologicznej (National Poisons Information Centre)The Nofer Institute of Occupational Medicine (Łódź) +48 42 63 14 724
Portugal	Centro de Informação AntivenenosInstituto Nacional de Emergência Médica (INEM) 808 250 143 (Para uso apenas em Portugal),+351 21 330 3284
Romania	Biroul RSI si Informare ToxicologicaApelabil intre orele 8:00 – 15:00 +40 21 318 36 06 (Apelabil intre orele 8:00-15:00)
Russia	Информационно-консультативный токсикологический центр Министерства здравоохранения Российской Федерации (RTIAC)Министерство здравоохранения Российской Федерации (Ministry of Health of the Russian Federation) +74 959 28 16 87 (русский)
Saudi Arabia	The Regional Poison Control Center, Dammam (DPCC) +966 55 388 0087
Slovakia	Národné toxikologické informačné centrum (National Toxicological Information Centre) (NTIC)University Hospital Bratislava +421 254 77 41 66
Slovenia	Poison CentreDivision of Internal Medicine + 386 41 650 500
Spain	Servicio de Información ToxicológicaInstituto Nacional de Toxicología y Ciencias Forenses +34 91 562 04 20
Sweden	Giftinformationscentralen Swedish Poisons Information Centre, Karolinska Hospital +46 833 12 31 (International) 112 - begär Giftinformation (National)
Switzerland	Centre Suisse d'Information ToxicologiqueSwiss Toxicological Information Centre 145 / +41 442 51 51 51
Turkey	Toxicology Department and Poisons Centre Refik Saydam Central Institute of Hygiene 0 800 314 7900 (Turkey) only+90 0312 433 70 01
United Kingdom	National Poisons Information Service (Newcastle Centre)Regional Drugs and Therapeutics Centre, Wolfson Unit 0844 892 0111 (UK only, 24/7, healthcare professionals only)

Section 2: HAZARDS IDENTIFICATION

2.1. Classification according to Regulation (EC) No. 1272/2008 (CLP)

Acute toxicity - Dermal	Category 4 - (H312)
Acute toxicity - Inhalation (Dusts/Mists)	Category 4 - (H332)
Chronic aquatic toxicity	Category 2 - (H411)
Flammable liquids	Category 3 - (H226)

2.2. Label elements

Label elements according to (EC) N°1272/2008 (CLP) as amended



Signal word

Warning

Hazard statements

H312 - Harmful in contact with skin
H332 - Harmful if inhaled
H411 - Toxic to aquatic life with long lasting effects
H226 - Flammable liquid and vapor

Precautionary Statements

P101 - If medical advice is needed, have product container or label at hand
P102 - Keep out of reach of children
P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking
P271 - Use only outdoors or in a well-ventilated area
P273 - Avoid release to the environment
P321 - Specific treatment (see supplemental first aid instructions on this label)

P370 + P378 - In case of fire: Use dry chemical, CO₂, water spray or alcohol-resistant foam to extinguish
 P391 - Collect spillage
 P403 + P235 - Store in a well-ventilated place. Keep cool
 P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards**Other hazards**

No other specific hazard has been identified.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.1 Substances**

Not applicable

3.2 Mixtures

Chemical name	EC No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
Xylene	215-535-7	1330-20-7	5-<10	Flam. Liq. 3 (H226) Acute Tox. 4 (312) Acute Tox. 4 (H332) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) STOTE-SE 3 (H335) STOTE-RE 2 (H373) Aspir. Tox. 1 (H304)	No data available

Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES**4.1. Description of first aid measures****General advice**

First aider: Pay attention to self-protection!. Never give anything by mouth to an unconscious person. Show this safety data sheet to the doctor in attendance. Use first aid treatment according to the nature of the injury.

Inhalation

- Remove to fresh air

Skin contact

- Remove contaminated clothing
- Wash off immediately with plenty of water
- If symptoms persist, call a physician

Eye contact

- Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes
- Remove contact lenses, if present and easy to do. Continue rinsing
- If symptoms persist, call a physician

Ingestion

- Clean mouth with water and drink afterwards plenty of water
- Get medical attention

Self-protection of the first aider

- Remove all sources of ignition

4.2. Most important symptoms and effects, both acute and delayed**Symptoms**

- No information available

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media • CO₂, sand, extinguishing powder. Do not use water.

Unsuitable extinguishing media DO NOT USE WATER

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical Flammable liquid and vapor.

Hazardous combustion products Burning produces obnoxious and toxic fumes. Carbon oxides.

5.3. Advice for firefighters

Special protective equipment for fire-fighters Evacuate personnel to safe areas. Special protective equipment for fire-fighters. In the event of fire, wear self-contained breathing apparatus.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions

- Ensure adequate ventilation, especially in confined areas
- Evacuate personnel to safe areas
- Use personal protective equipment as required
- Avoid contact with skin, eyes or clothing
- Do not breathe vapor or mist
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- All equipment used when handling the product must be grounded
- Use spark-proof tools and explosion-proof equipment

For emergency responders • Have procedures in place for emergency decontamination

6.2. Environmental precautions

Environmental precautions

- Prevent further leakage or spillage if safe to do so
- Prevent product from entering drains
- Do not flush into surface water or sanitary sewer system
- See Section 12 for ecotoxicology additional information

6.3. Methods and material for containment and cleaning up

Methods for containment

- Stop leak if you can do it without risk
- Do not flush with water or aqueous cleansing agents

Methods for cleaning up

- Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust)
- Pick up and transfer to properly labeled containers
- Do not flush with water or aqueous cleansing agents
- Remove all sources of ignition
- Take precautionary measures against static discharges

6.4. Reference to other sections

Reference to other sections

- See section 8 for more information
- See section 13 for more information

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling**Advice on safe handling**

- Ensure adequate ventilation, especially in confined areas
- Use personal protective equipment as required
- Avoid contact with skin, eyes or clothing
- Do not breathe dust/fume/gas/mist/vapors/spray
- Avoid release to the environment
- Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Take precautionary measures against static discharges
- Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity)
- All equipment used when handling the product must be grounded
- Use spark-proof tools and explosion-proof equipment

General Hygiene Considerations

- Handle in accordance with good industrial hygiene and safety practice
- Wash hands before breaks and immediately after handling products
- When using do not eat, drink or smoke
- Regular cleaning of equipment, work area and clothing is recommended
- Take off all contaminated clothing and wash it before reuse
- Keep away from food, drink and animal feeding stuffs

7.2. Conditions for safe storage, including any incompatibilities**Storage Conditions**

- Keep tightly closed in a dry and cool place
- Keep in properly labeled containers
- Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity)

Incompatible materials

- None known based on information supplied

7.3. Specific end use(s)**Specific use(s)**

No particular end use has been identified to date.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1. Control parameters**

Component	ACGIH	Australia	Austria	Belgium	Bulgaria
Xylene 1330-20-7 (5-<10)		80 ppm 350 mg/m ³ 150 ppm STEL 655 mg/m ³ STEL	TWA: 50 ppm TWA: 221 mg/m ³ STEL 100 ppm STEL 442 mg/m ³	50 ppm TWA; 221 mg/m ³ TWA STEL 100 ppm STEL 442 mg/m ³	STEL: 100 ppm STEL: 442 mg/m ³ TWA: 50 ppm TWA: 221.0 mg/m ³ K*
Component	Croatia	Czech Republic	Denmark	Finland	France
Xylene 1330-20-7 (5-<10)	TWA: 50 ppm TWA: 221 mg/m ³ STEL: 100 ppm STEL: 442 mg/m ³ K*	TWA: 200 mg/m ³ Ceiling: 400 mg/m ³ D*	TWA: 25 ppm TWA: 109 mg/m ³ H*	TWA: 50 ppm TWA: 220 mg/m ³ STEL: 100 ppm STEL: 440 mg/m ³ iho*	TWA: 50 ppm TWA: 221 mg/m ³ STEL: 100 ppm STEL: 442 mg/m ³ *
Component	Germany	Greece	Hungary	Ireland	Italy
Xylene 1330-20-7 (5-<10)	TWA: 100 ppm TWA: 440 mg/m ³ H*	TWA 100 ppm TWA 435 mg/m ³ STEL 150 ppm STEL 650 mg/m ³	TWA: 221 mg/m ³ STEL: 442 mg/m ³ b*	TWA: 50 ppm TWA: 221 mg/m ³ STEL: 100 ppm STEL: 442 mg/m ³ Sk*	TWA: 50 ppm TWA: 221 mg/m ³ STEL: 100 ppm STEL: 442 mg/m ³ pelle*
Component	Latvia	Lithuania	Netherlands	Norway	Poland
Xylene 1330-20-7 (5-<10)	TWA: 50 ppm TWA: 221 mg/m ³ STEL: 100 ppm STEL: 442 mg/m ³ *	TWA: 221 mg/m ³ TWA: 50 ppm STEL: 442 mg/m ³ STEL: 100 ppm	TWA: 210 mg/m ³ STEL: 442 mg/m ³ H*	TWA: 25 ppm TWA: 108 mg/m ³ STEL: 37.5 ppm STEL: 135 mg/m ³ H*	STEL: 200 mg/m ³ TWA: 100 mg/m ³
Component	Portugal	Romania	Russia	Slovakia	Slovenia
Xylene	TWA: 50 ppm	TWA: 50 ppm	TWA: 50 mg/m ³	TWA: 50 ppm	TWA: 50 ppm

1330-20-7 (5-<10)	TWA: 221 mg/m ³ STEL: 100 ppm STEL: 442 mg/m ³ P*	TWA: 221 mg/m ³ STEL: 100 ppm STEL: 442 mg/m ³ P*	STEL: 150 mg/m ³	TWA: 221 mg/m ³ K*	TWA: 221 mg/m ³ STEL: STEL ppm STEL: STEL mg/m ³ K*
Component	Spain	Sweden	Switzerland	United Kingdom	
Xylene 1330-20-7 (5-<10)	TWA: 50 ppm TWA: 221 mg/m ³ STEL: 100 ppm STEL: 442 mg/m ³ via dérmica*	TLV: 50 ppm TLV: 221 mg/m ³ Binding STEL: 100 ppm Binding STEL: 442 mg/m ³	TWA: 100 ppm TWA: 435 mg/m ³ STEL: 200 ppm STEL: 870 mg/m ³ H*	TWA: 50 ppm TWA: 220 mg/m ³ STEL: 100 ppm STEL: 441 mg/m ³ Sk*	

Chemical name	European Union	United Kingdom	France	Spain	Germany
Xylene 1330-20-7	-	650	-	1	2000 mg/L
Chemical name	Italy	Portugal	Netherlands	Finland	Denmark
Xylene 1330-20-7	-	-	-	5.0	-
Chemical name	Austria	Switzerland	Poland	Norway	Ireland
Xylene 1330-20-7	-	2	-	-	-

Derived No Effect Level (DNEL) No information available.

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Engineering Controls

- Ensure adequate ventilation, especially in confined areas
- Use only outdoors or in a well-ventilated area.
- Take precautionary measures against static discharge
- Showers
- Eyewash stations
- Ventilation systems
- Organizational measures to prevent /limit releases, dispersion and exposure

Personal protective equipment

Eye/face protection

Hand Protection

Skin and body protection

Respiratory protection

- Wear safety glasses with side shields (or goggles) (EN166)
- Chemically resistant gloves (tested to EN374)
- Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves
- Wear protective Viton™ gloves
- Antistatic footwear
- Wear fire/flame resistant/retardant clothing
- Wear long-sleeved shirt and long pants
- In case of insufficient ventilation, wear suitable respiratory equipment
- Full face mask (EN 136), Half-face mask (DIN EN 140), Filter type A (EN 141)

Environmental exposure controls • Avoid release to the environment

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	viscous
Color	light gray
Odor	Characteristic.
Odor threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No data available	None known
Melting point / freezing point	No data available	None known
Boiling point / boiling range	135 °C	
Flash point	23 °C	
Evaporation rate	Not applicable	None known

Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability limit:	No data available	
Lower flammability limit:	No data available	
Vapor pressure	0,1 hPa (@20°C) - 20 hPa (@50°C)	None known
Density VALUE	1.41 g/cm ³	
Relative density	No data available	None known
Water solubility	Immiscible in water	
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	> 270 °C	
Decomposition temperature	No data available	None known
Viscosity	560000 mm ² /s	
Dynamic viscosity	No data available	
Explosive properties	No information available	
Oxidizing properties	No information available	

9.2. Other information

Softening point	No information available
Molecular weight	No information available
VOC	(7.84%) 101.6 g/L
Liquid Density	No information available
Bulk density	No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity Flammable liquid and vapour

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact	No.
Sensitivity to Static Discharge	Yes.

10.3. Possibility of hazardous reactions

Possibility of Hazardous Reactions • None under normal processing conditions

10.4. Conditions to avoid

Conditions to avoid Heat, flames and sparks.

10.5. Incompatible materials

Incompatible materials • No information available

10.6. Hazardous decomposition products

Hazardous Decomposition Products Carbon monoxide

Section 11: TOXICOLOGICAL INFORMATION

Product Information

Product does not present an acute toxicity hazard based on known or supplied information

Inhalation	No data available.
Eye contact	No data available.
Skin contact	No data available.
Ingestion	No data available.

Skin corrosion/irritation	No information available
Serious eye damage/eye irritation	No information available.
Sensitization	No information available
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	3,500.00 mg/kg
ATEmix (dermal)	1,100.00 mg/kg
ATEmix (inhalation-dust/mist)	1.50 mg/l

Chemical name	Oral LD50	LD50/dermal/rat - NO UNITS (Wizards mg/kg)	Inhalation LC50
Xylene	= 3500 mg/kg (Rat)	> 4350 mg/kg (Rabbit)	= 29.08 mg/L (Rat) 4 h

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Crustacea
Xylene	-	13.4: 96 h Pimephales promelas mg/L LC50 flow-through 2.661 - 4.093: 96 h Oncorhynchus mykiss mg/L LC50 static 13.5 - 17.3: 96 h Oncorhynchus mykiss mg/L LC50 13.1 - 16.5: 96 h Lepomis macrochirus mg/L LC50 flow-through 19: 96 h Lepomis macrochirus mg/L LC50 7.711 - 9.591: 96 h Lepomis macrochirus mg/L LC50 static 23.53 - 29.97: 96 h Pimephales promelas mg/L LC50 static 780: 96 h Cyprinus carpio mg/L LC50 semi-static 780: 96 h Cyprinus carpio mg/L LC50 30.26 - 40.75: 96 h Poecilia reticulata mg/L LC50 static	3.82: 48 h water flea mg/L EC50 0.6: 48 h Gammarus lacustris mg/L LC50

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

Bioaccumulation potential is low.

Chemical name	Partition coefficient
Xylene	3.15

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

12.6. Other adverse effects

Other adverse effects No information available

Section 13: DISPOSAL CONSIDERATIONS**13.1. Waste treatment methods**

- | | |
|--|---|
| Waste from residues/unused products | <ul style="list-style-type: none"> • Disposal should be in accordance with applicable regional, national and local laws and regulations • Should not be released into the environment |
| Contaminated packaging | <ul style="list-style-type: none"> • Dispose of empty containers and wastes safely • Refer to manufacturer/supplier for information on recovery/recycling • Disposal should be in accordance with applicable regional, national and local laws and regulations |
| Waste codes / waste designations according to EWC / AVV | <ul style="list-style-type: none"> • Waste codes should be assigned by the user based on the application for which the product was used • The following Waste Codes are only a suggestion: • 08 00 00, 08 01 00, 08 01 11 |

Section 14: TRANSPORT INFORMATION**IMDG**

- | | |
|--|---|
| 14.1 UN number | UN1139 |
| 14.2 UN proper shipping name | Coating solution |
| 14.3 Transport hazard class(es) | 3 |
| 14.4 Packing group | III |
| Description | UN1139, Coating solution, 3, III, (23°C c.c.) |
| 14.5 Marine pollutant | Not applicable |
| 14.6 Special Provisions | 955 |
| EmS-No. | F-E, S-E |
| 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code | No information available |

RID

- | | |
|--|----------------------------------|
| 14.1 UN number | UN1139 |
| 14.2 UN proper shipping name | Coating solution |
| 14.3 Transport hazard class(es) | 3 |
| Labels | 3 |
| 14.4 Packing group | III |
| Description | UN1139, Coating solution, 3, III |
| 14.5 Environmental hazards | Not applicable |
| 14.6 Special Provisions | 640E |
| Classification code | F1 |

ADR

- | | |
|-------------------------------------|------------------|
| 14.1 UN number | UN1139 |
| 14.2 UN proper shipping name | Coating solution |

14.3 Transport hazard class(es)	3
Labels	3
14.4 Packing group	III
Description	UN1139, Coating solution, 3, III, (D/E)
14.5 Environmental hazards	Not applicable
14.6 Special Provisions	640E
Classification code	F1
Tunnel restriction code	(D/E)

IATA

14.1 UN number	UN1139
14.2 UN proper shipping name	Coating solution
14.3 Transport hazard class(es)	3
14.4 Packing group	III
Description	UN1139, Coating solution, 3, III
14.5 Environmental hazards	Not applicable
14.6 Special Provisions	A3
ERG Code	3L

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
Xylene 1330-20-7	RG 4bis, RG 84	-

Germany

Water hazard class (WGK) hazardous to water (WGK 2)

TA Luft (German Air Pollution Control Regulation) Organic substances

Water contaminating class (Netherlands) 11

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Authorizations and/or restrictions on use:

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

15.2. Chemical safety assessment

Chemical Safety Report No information available

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

- H226 - Flammable liquid and vapor
- H304 - May be fatal if swallowed and enters airways
- H315 - Causes skin irritation
- H319 - Causes serious eye irritation
- H332 - Harmful if inhaled
- H335 - May cause respiratory irritation
- H373 - May cause damage to organs through prolonged or repeated exposure

Legend

*	Skin designation	Ceiling	Maximum limit value
STEL	STEL (Short Term Exposure Limit)	TWA	TWA (time-weighted average)

Revision Date 29-Oct-2020

Revision Note Update of document format

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

End of Safety Data Sheet